



## ALLERGEN 2023 DECLARATION

We hereby confirm that the following item contains the components listed below. Stated are the total levels added plus levels from natural ingredients. The information is supplied to enable compliance with Cosmetic and Detergent regulations.

### ZEOLITE ULTRAFINE CLAY

Ingredient	CAS	EC	Concentration (%)
There are no allergens.			

Please note components <1ppm are not shown.

**Regulatory Affairs Department**

Ekokoza s.r.o.  
Fryčovice 297, 73945, Fryčovice  
IČ: 07508247, eshop@ekokoza.cz, +420605779993



## **ZEOLITE ULTRAFINE CLAY PRODUCTION FLOW CHART**

**Mine Field (open cast site) > Extraction of Clinoptilolite > Transportation of Clinoptilolite > Processing of Clinoptilolite > K201 Jaw Crusher > B201 Track > S201 Silo > First Magnet > B202-B203 Track > K202 Hammer Mill > Second Magnet > B204 Track > E201 Sieve > H201 Helix > H202 Helix > H203 Helix > H204 Helix > Third Magnet > H205 Helix > L201 Elevator > Fourth Magnet > E202 Sieve > S206 Silo > Fifth Magnet > Critical Control Point > Packaging (D201 Sewing Machine) > Storage > Shipment**

# GMO Statement

IDENTIFICATION	
Product:	ZEOLITE ULTRAFINE CLAY
STATEMENT	
<p>Referring to Regulation (EC) No 1829/2003 of 22nd September 2003 on genetically modified food and feed and Regulation (EC) No 1830/2003 of 22nd September 2003 concerning the traceability and labelling of genetically modified organisms and the traceability of food and feed products produced from genetically modified organisms, we have proofed with our supplier if the above mentioned product is subject of these legislations.</p> <p>According to our current knowledge and supplier's information we assume that this product has not been produced of nor contain any genetically modified organism. Therefore, it does not fall under the scope of the legislations mentioned above.</p> <p>However, due to the fact that we do not analyse the batches, we cannot guarantee any explicit assurance.</p> <p>24/11/2023</p> <p>This is a computer-generated document and it does not require a signature. It is the ultimate responsibility of our customer to ensure the safety of the final product containing this material.</p>	



## SAFETY DATA SHEET ZEOLITE POWDER (CLINOPTILOLITE)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **1.1. Product identifier**

Product name                               ZEOLITE CLAY  
Product No.                                 CLAYZEOL  
Synonyms, Trade Names               Clinoptilolite Powder, ZeoClin

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **1.3. Details of the supplier of the safety data sheet**

Supplier   Ekokoza s.r.o.  
              Fryčovice 297  
              73945 Fryčovice  
              eshop@ekokoza.cz  
              +420605779993  
              IČ:07508247

#### **1.4. Emergency telephone number**

Nouzové telefonní číslo: +420224919293 , +420224915402 (telefon 24hod/  
denně) Toxikologické informační středisko, Na Bojišti 1, 128 08 Praha2)

### SECTION 2: HAZARDS IDENTIFICATION

#### **2.1. Classification of the substance or mixture**

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Not classified.
Environment	Not classified.

Classification (67/548/EEC)

Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

This product does not meet the criteria for classification as hazardous as defined in the Regulation EC 1272/2008 and Directive 67/548/EEC. Depending on the type of handling and use, airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable crystalline silica dust (particles up to 10 microns in size) may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.

Environment

This product is not expected to be hazardous to the environment.

Physical and Chemical Hazards

This product is an inorganic substance and does not meet the criteria for PBT or PvB in accordance with Annex XIII of REACH. This product should be handled with care to avoid dust generation.

#### **2.2. Label elements**

Label In Accordance With (EC) No. 1272/2008

No pictogram required.

#### **2.3. Other hazards**

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ekokoza s.r.o.  
Fryčovice 297, 73945, Fryčovice  
IČ: 07508247, eshop@ekokoza.cz, +420605779993

# ZEOLITE POWDER (CLINOPTILOLITE)

## **3.1. Substances**

Product name ZEOLITE POWDER (CLINOPTILOLITE)

## **SECTION 4: FIRST AID MEASURES**

### **4.1. Description of first aid measures**

Inhalation

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and provide fresh air. Get medical attention if any discomfort continues.

Skin contact

Wash skin thoroughly with soap and water. Use suitable lotion to moisturise skin.

Eye contact

Do not rub eye. Immediately flush with plenty of water or eyewash solution for up to 10 minutes. Get medical attention if any discomfort continues.

### **4.2. Most important symptoms and effects, both acute and delayed**

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

### **4.3. Indication of any immediate medical attention and special treatment needed**

No specific first aid measures noted.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

Extinguishing media

The product is non-combustible.

### **5.2. Special hazards arising from the substance or mixture**

Specific hazards

This product is not combustible. There are no hazardous thermal decomposition products.

### **5.3. Advice for firefighters**

Special Fire Fighting Procedures

No specific fire fighting procedure given. Use an extinguishing agent suitable for the surrounding fire.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid inhalation of dust. Wear personal protective equipment in compliance with national legislation.

### **6.2. Environmental precautions**

No known adverse environmental effects.

### **6.3. Methods and material for containment and cleaning up**

Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Avoid generation and spreading of dust.

### **6.4. Reference to other sections**

Wear protective clothing as described in Section 8 of this safety data sheet.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Avoid inhalation of dust and contact with skin and eyes. Provide good ventilation. Do not eat, drink or smoke when using the product. Always wash hands after handling. Remove and wash contaminated clothing before re-using.

Ekokoza s.r.o.  
Fryčovice 297, 73945, Fryčovice  
IČ: 07508247, eshop@ekokoza.cz, +420605779993



### **7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed original container in a dry and cool place. Minimise airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.

### **7.3. Specific end use(s)**

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1. Control parameters**

Ingredient Comments

WEL = Workplace Exposure Limits Respirable Dust = 4 mg/m<sup>3</sup>, Total inhalable dust = 10mg/m<sup>3</sup> Quartz: Workplace Exposure Limit = 0.1 mg/m<sup>3</sup>

### **8.2. Exposure controls**

Protective equipment



Process conditions

Provide eyewash station.

Engineering measures

Provide adequate ventilation.

Respiratory equipment

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the requirements of European or National Regulations.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves.

Eye protection

Wear goggles/face shield.

Hygiene measures

Good personal hygiene practices are always advisable, especially when working with chemicals / oils.

Skin protection

Wear apron or protective clothing in case of contact.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1. Information on basic physical and chemical properties**

Appearance	Powdered Solid
Colour	Beige.
Odour	Characteristic.
Solubility	Insoluble in water
Melting point (°C)	approx 1300c

### **9.2. Other information**

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1. Reactivity**

No specific reactivity hazards associated with this product.

Ekokoza s.r.o.  
Fryčovice 297, 73945, Fryčovice  
IČ: 07508247, eshop@ekokoza.cz, +420605779993



## **10.2. Chemical stability**

Stable under normal temperature conditions.

## **10.3. Possibility of hazardous reactions**

Not applicable.

## **10.4. Conditions to avoid**

## **10.5. Incompatible materials**

Materials To Avoid

Strong oxidising agents. Hydrofluoric Acid

## **10.6. Hazardous decomposition products**

None under normal conditions.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## **11.1. Information on toxicological effects**

Toxicological information

This product has low toxicity

# **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity

This product is classified as environmentally non hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## **12.1. Toxicity**

## **12.2. Persistence and degradability**

Degradability: This product is not biodegradable.

## **12.3. Bioaccumulative potential**

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

## **12.4. Mobility in soil**

Mobility:

This product is virtually insoluble in water.

## **12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

## **12.6. Other adverse effects**

None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

General information

This mineral can be disposed of as a non toxic/inactive material in approved landfill sites in accordance with local regulations.

## **13.1. Waste treatment methods**

Dispose of in compliance with all local and national regulations.

Ekokoza s.r.o.  
Fryčovice 297, 73945, Fryčovice  
IČ: 07508247, eshop@ekokoza.cz, +420605779993

# ZEOLITE POWDER (CLINOPTILOLITE)

## SECTION 14: TRANSPORT INFORMATION

### General

Not regulated.

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

### 14.6. Special precautions for user

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

## SECTION 16: OTHER INFORMATION

SDS No. 20501

Risk Phrases In Full

NC Not classified.

Hazard Statements In Full

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Ekokoza s.r.o.  
Fryčovice 297, 73945, Fryčovice  
IČ: 07508247, eshop@ekokoza.cz, +420605779993





## **SPECIFICATION**

The following information is accurate to the best of our knowledge  
Please see our Safety Data Sheet for the hazardous information of this product.

**PRODUCT:** **ZEOLITE ULTRAFINE CLAY**

CAS NO:	1318-02-1
Other Identifier:	EC: 215-283-8
Tariff Number:	25309000
Appearance (state):!	Powder
Appearance (colour):	Beige
Odour:	Characteristic
Melting Point:	1300 °C
Bulk Density:	0.6 - 0.7 MT/m <sup>3</sup>
pH:	7.0 - 9.0
Cation Exchange Capacity:!	1.5 - 1.9 meq/g
Micropore Area:	11m <sup>2</sup> /g
Mesopore Area:	29m <sup>2</sup> /g
Mineralogical Analysis (Typical):	Clinoptilolite 85-100% Tridymite 0-5% Other Zeolite 0-5% Cristobalite 0-5%
Storage:	Store in a well-ventilated place. Keep container tightly closed.!
Shelf Life:	Refer to COA

### *Regulatory Department*

This specification is computer generated and valid without a signature

Ekokoza s.r.o.  
Fryčovice 297, 73945, Fryčovice  
IČ: 07508247, eshop@ekokoza.cz, +420605779993

# Vegan and Vegetarian Statement

IDENTIFICATION	
Product:	ZEOLITE ULTRA CLAY
STATEMENT	
<p>We, from information received from our supplier, hereby declare that the material listed above is suitable for the following:</p> <p>Vegans (Excludes all animal derived products, including dairy, eggs, leather, bee products (beeswax and honey).</p> <p>Lacto Vegetarians ( Same as vegan but allows milk products and bee products.</p> <p>Ovo Vegetarians (Same as vegan but allows egg products and bee products)</p> <p>It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.</p> <p>This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.</p>	